



Product Guide



OUR STORY



Welcome to Mask on Every Face. We are a company born out of necessity. Our principal founding partner, Dr. William C. “Kip” Schumacher, MD, FACEP is the Founder of the Schumacher Group which has cared for tens of millions of patients over the years. As a board-certified Emergency Medicine physician, he grew increasingly concerned for the well-being of his healthcare workers and their patients as they tackled the increasing obstacles associated with the COVID-19 pandemic. Early on, it was evident that the spread of the virus would be compounded without the proper inventory of Personal Protective Equipment necessary to mitigate its impact. This concern led Dr. Schumacher to team up with Michael Roberts and Stephen Levine—importing veterans with over 75 years of combined experience—to create Mask on Every Face, with the mission of bringing honesty and integrity to the front lines of the healthcare community’s fight against the pandemic.

Today, the MOEF team has moved tens of millions of N95 and KN95 FFRs, Surgical Masks, 3-Ply Disposable Face Masks, Face Shields, Isolation Gowns, and other assorted PPE all over the world, but our fight is far from over. We welcome you to help us in our outreach to find end users who can benefit the most from our products as we aim to heal the world.



COMPANY INITIATIVE



We created Mask On Every Face with a very simple goal: to empower healthcare professionals by providing them with the PPE necessary to practice safely and effectively. In six short weeks, we developed a robust supply chain with comprehensive distribution channels to reach providers, patients, businesses, and the community as a whole. Currently, we’re on track to import and distribute 60 million disposable face masks, FFRs, surgical masks, face shields, gowns and other PPE per month.

We are also committed to philanthropic efforts during this trying time. We’ve helped several foundations in the Southern Louisiana area donate over 1M disposable face masks and FFRs to small businesses, local and national hospital networks, penitentiaries, local and state governments, and individual patients and providers. Most recently, we donated 250,000 masks to the Navajo Nation. At Mask On Every Face, we’ve pledged to engage in at least one philanthropic initiative per month. You can visit our website for our most recent philanthropic activities.

Please contact us if you or your company is in need of essential PPE. We’ll never ignore an opportunity to help.



Makrite 9500-N95 Particulate Respirator

- ✓ FDA certified
- ✓ CE certified
- ✓ 510(k) cleared
- ✓ NIOSH approval: TC-84A-5411
- ✓ Meets 95% minimum filtration efficiency
- ✓ Meets 42 CFR 84 Approval of Respiratory Protective Devices
- ✓ Fit tested with full elastic head straps
- ✓ Latex-free
- ✓ Polyester and polypropylene contstruction
- ✓ Aluminum nosepiece
- ✓ Nose foam

LEAKAGE TEST	VALUE
Initial Filter Resistance (Pa)	7.6 - 8.5
Particle Size Distribution (µm)	.08~1.6
NaCl Flow Rate	85
Maximum Allowable Percent Leakage (%)	5.0
Initial Percent Leakage (%)	.281 - .842
Maximum Percent Leakage (%)	.426 - .992
INHALATION BREATHING RESISTANCE TEST	VALUE
Maximum Allowable Resistance (in of H2O)	1.4
Actual Resistance (in of H2O)	2.7
EXHALATION BREATHING RESISTANCE TEST	VALUE
Maximum Allowable Resistance (in of H2O)	1
Actual Resistance (in of H2O)	.21
FILTRATION EFFICIENCY	VALUE
Filtration Efficiency (%)	Greater than 95



Makrite 9500-N95 Particulate Respirator





ASTM Level 2 Surgical Mask

- ✓ FDA certified
- ✓ CE certified
- ✓ ASTM Level 2 - 510(k) cleared
- ✓ Helps protect against at least 98% of Airborne particles
- ✓ Medical grade surgical mask
- ✓ Fluid resistant (not oil resistant)
- ✓ Latex-free
- ✓ Hypoallergenic
- ✓ Lint-free
- ✓ Aluminum nosepiece
- ✓ Elastic earloop

BACTERIAL FILTRATION EFFICIENCY (BFE) TEST	VALUE
BFE Test Area (in ²)	6.2
BFE Flow Rate (gpm)	7.5
Percent BFE - Test 1 (%)	99
Percent BFE - Test 2 (%)	99.3
Percent BFE - Test 3 (%)	99.5
Percent BFE - Test 4 (%)	99.2
Percent BFE - Test 5 (%)	99.3
PARTICLE FILTRATION EFFICIENCY (PFE) TEST	VALUE
PFE Test Area (in ²)	14.2
Particle Size (µm)	.1
Percent PFE - Test 1 (%)	99.85
Percent PFE - Test 2 (%)	99.84
Percent PFE - Test 3 (%)	99.81
Percent PFE - Test 4 (%)	99.90
Percent PFE - Test 5 (%)	99.87



ASTM Level 2 Surgical Mask





Individually-Wrapped 3-Ply Disposable Face Mask

- ✓ FDA certified
- ✓ CE certified
- ✓ Helps protect against at least 95% of Airborne particles
- ✓ Fluid resistant (not oil resistant)
- ✓ Latex-free
- ✓ Hypoallergenic
- ✓ Lint-free
- ✓ Aluminum nosepiece
- ✓ Elastic earloop
- ✓ Saleable as a 50-pack or individually-wrapped

LEAKAGE TEST	VALUE
Test Subject Walk (km/h)	3.1
Particle Size Distribution (µm)	.08~1.6
NaCl Flow Rate	99~104
NaCl Concentration Before Mask (ppm)	7.9~8.3
NaCl Concentration After Mask (ppm)	.43
Total Inward Leakage (%)	6.2 - 11
INHALATION BREATHING RESISTANCE TEST	VALUE
Maximum Resistance at Inhalation Gas Velocity 8 gpm (mbar)	.54
Maximum Permitted Resistance (mbar)	1.0
Maximum Resistance at Inhalation Gas Velocity 24 gpm (mbar)	3.45
Maximum Permitted Resistance (mbar)	4.0
EXHALATION BREATHING RESISTANCE TEST	VALUE
Exhalation (L/min)	160
Maximum Resistance (mbar)	3.51
Maximum Permitted Resistance (mbar)	4.0
FILTRATION EFFICIENCY	VALUE
Bacterial Filtration Efficiency (%)	Greater than 95

This product is for general, non-medical purposes. Mask On Every Face, LLC recommends against use of this mask in a medical setting where there is a significant risk of exposure to bodily or other hazardous fluids, use in a clinical setting where the infection risk level through inhalation exposure is high, and use in the presence of a high intensity heat source or flammable gas. Misuse may result in sickness or death. This product is authorized by the EUA for use as source control by the general public as well as the health care professional in a health care setting only for the duration of the EUA.



Individually-Wrapped 3-Ply Disposable Face Mask





Individually-Wrapped Children’s Mask

- ✓ FDA certified
- ✓ CE certified
- ✓ Helps protect against at least 95% of Airborne particles
- ✓ Fluid resistant (not oil resistant)
- ✓ Latex-free
- ✓ Hypoallergenic
- ✓ Lint-free
- ✓ Aluminum nosepiece
- ✓ Elastic earloop
- ✓ Saleable as a 50-pack or individually-wrapped

LEAKAGE TEST	VALUE
Test Subject Walk (km/h)	3.1
Particle Size Distribution (µm)	.08~1.6
NaCl Flow Rate	99~104
NaCl Concentration Before Mask (ppm)	7.9~8.3
NaCl Concentration After Mask (ppm)	.43
Total Inward Leakage (%)	6.2 - 11
INHALATION BREATHING RESISTANCE TEST	VALUE
Maximum Resistance at Inhalation Gas Velocity 8 gpm (mbar)	.54
Maximum Permitted Resistance (mbar)	1.0
Maximum Resistance at Inhaltion Gas Velocity 24 gpm (mbar)	3.45
Maximum Permitted Resistance (mbar)	4.0
EXHALATION BREATHING RESISTANCE TEST	VALUE
Exhalation (L/min)	160
Maximum Resistance (mbar)	3.51
Maximum Permitted Resistance (mbar)	4.0
FILTRATION EFFICIENCY	VALUE
Bacterial Filtration Efficiency (%)	Greater than 95

This product is for general, non-medical purposes. Mask On Every Face, LLC recommends against use of this mask in a medical setting where there is a significant risk of exposure to bodily or other hazardous fluids, use in a clinical setting where the infection risk level through inhalation exposure is high, and use in the presence of a high intensity heat source or flammable gas. Misuse may result in sickness or death. This product is authorized by the EUA for use as source control by the general public as well as the health care professional in a health care setting only for the duration of the EUA.



Individually-Wrapped Children’s Mask





Individually-Wrapped Customizable Mask

- ✓ FDA certified
- ✓ CE certified
- ✓ Helps protect against at least 95% of Airborne particles
- ✓ Fluid resistant (not oil resistant)
- ✓ Latex-free
- ✓ Hypoallergenic
- ✓ Lint-free
- ✓ Aluminum nosepiece
- ✓ Elastic earloop
- ✓ Saleable as a 50-pack or individually-wrapped

LEAKAGE TEST	VALUE
Test Subject Walk (km/h)	3.1
Particle Size Distribution (µm)	.08~1.6
NaCl Flow Rate	99~104
NaCl Concentration Before Mask (ppm)	7.9~8.3
NaCl Concentration After Mask (ppm)	.43
Total Inward Leakage (%)	6.2 - 11
INHALATION BREATHING RESISTANCE TEST	VALUE
Maximum Resistance at Inhalation Gas Velocity 8 gpm (mbar)	.54
Maximum Permitted Resistance (mbar)	1.0
Maximum Resistance at Inhaltion Gas Velocity 24 gpm (mbar)	3.45
Maximum Permitted Resistance (mbar)	4.0
EXHALATION BREATHING RESISTANCE TEST	VALUE
Exhalation (L/min)	160
Maximum Resistance (mbar)	3.51
Maximum Permitted Resistance (mbar)	4.0
FILTRATION EFFICIENCY	VALUE
Bacterial Filtration Efficiency (%)	Greater than 95

This product is for general, non-medical purposes. Mask On Every Face, LLC recommends against use of this mask in a medical setting where there is a significant risk of exposure to bodily or other hazardous fluids, use in a clinical setting where the infection risk level through inhalation exposure is high, and use in the presence of a high intensity heat source or flammable gas. Misuse may result in sickness or death. This product is authorized by the EUA for use as source control by the general public as well as the health care professional in a health care setting only for the duration of the EUA.



Individually-Wrapped Customizable Mask





Customizable Mask (more)



Customizable Mask (more)





Vinyl Glove

- ✓ FDA certified
- ✓ Meets ASTM D5250-06 standard for poly (vinyl chloride) gloves
- ✓ Free from pinholes per 21 CFR 800.20 and ASTM D6319-10
- ✓ Biocompatible as non-irritant/non-sensitizer per ISO 10993-5/10
- ✓ 510(k) cleared
- ✓ 4mm thickness
- ✓ Non-sterile
- ✓ Single use
- ✓ Latex-free
- ✓ Powder-free
- ✓ Food/Medical Grade
- ✓ Packed 100 per box

SPECIFICATIONS	VALUE
Size	Small
Width (in)	3.1 - 3.5
Length (in)	Greater than 9.1
Thickness (in)	.16

SPECIFICATIONS	VALUE
Size	Medium
Width (in)	3.5 - 3.9
Length (in)	Greater than 9.1
Thickness (in)	.16

SPECIFICATIONS	VALUE
Size	Large
Width (in)	3.9 - 4.3
Length (in)	Greater than 9.1
Thickness (in)	.16

SPECIFICATIONS	VALUE
Size	Extra Large
Width (in)	4.3 - 4.7
Length (in)	Greater than 9.1
Thickness (in)	.16



Vinyl Gloves





Nitrile Gloves

- ✓ FDA approved
- ✓ 510k cleared
- ✓ Non-sterile
- ✓ Single-use only
- ✓ Latex-free
- ✓ Powder-free
- ✓ Packed 100 per box

SPECIFICATIONS	VALUE
Size	Extra Small
Width (mm)	75 - 80
Length (mm)	Greater than 240
SPECIFICATIONS	VALUE
Size	Small
Width (mm)	80 - 90
Length (mm)	Greater than 240
SPECIFICATIONS	VALUE
Size	Medium
Width (mm)	90 - 100
Length (mm)	Greater than 240
SPECIFICATIONS	VALUE
Size	Large
Width (mm)	100 - 110
Length (mm)	Greater than 240
SPECIFICATIONS	VALUE
Size	Extra Large
Width (mm)	110 or greater
Length (mm)	Greater than 240



Nitrile Gloves





Hand Sanitizer

- ✓ FDA certified
- ✓ Various sizes available
- ✓ Exceeds CDC recommendations for alcohol content
- ✓ Moisturizing formula for gentle skin
- ✓ Vitamin E and Aloe infused
- ✓ Additional sizes available upon request
- ✓ Free & clear, odorless gel-based formula
- ✓ Pump top for large sizes and disc top for portable sizes

SIZES	AVAILABILITY
2 fl oz (60mL)	Yes
8.5 fl oz (250mL)	Yes
16.9 fl oz (500mL)	Yes
169 fl oz (4000mL)	Yes



Hand Sanitizer





700 mL Automatic Soap/Sanitizer Dispenser

- ✓ Touchless hand sanitizer dispenser
- ✓ Removable 23.7 fl oz (700 mL) capacity reservoir
- ✓ Front window to monitor fill level
- ✓ Durable ABS plastic for quiet operation
- ✓ Battery operated with 4 x AA batteries
- ✓ Optional direct DC input
- ✓ Commercial grade components
- ✓ Infrared sensor eye
- ✓ Universally refillable
- ✓ Gel or liquid compatible
- ✓ Innovative modular design: wall-mount, tabletop or floor-standing configurations available
- ✓ Power on/off button with LED indicator

WALL-MOUNT UNIT SPECIFICATIONS	VALUE
Depth (in)	4.4
Width (in)	4.6
Height (in)	7.2



700 mL Automatic Soap/Sanitizer Dispenser






900 mL Soap/Sanitizer Dispenser

- ✓ Touchless hand sanitizer dispenser
- ✓ Removable 30.4 fl oz (900 mL) capacity reservoir
- ✓ Front window to monitor fill level
- ✓ Durable ABS plastic for quiet operation
- ✓ Battery operated with 4 x C batteries
- ✓ Optional direct DC input
- ✓ Commercial grade components
- ✓ Infrared sensor eye
- ✓ .03 fl oz (1 mL) dispensing volume
- ✓ Universally refillable
- ✓ Gel or liquid compatible
- ✓ Innovative modular design: wall-mount, tabletop or floor-standing configurations available
- ✓ Power on/off button with LED indicator
- ✓ Optional drip tray, floor stand and table stand availble upon request

WALL-MOUNT UNIT SPECIFICATIONS	VALUE
Depth (in)	4.4
Width (in)	5.4
Height (in)	10.6



900 mL Soap/Sanitizer Dispenser





900 mL Soap/Sanitizer Dispenser w/ Floor stand

- ✓ Touchless hand sanitizer dispenser with included floor stand
- ✓ Adjustable height up to 5 ft. tall
- ✓ Very simple assembly for quick and easy deployment
- ✓ Drip tray keeps surrounding areas clean
- ✓ Floor stand allows for setup near maximum traffic areas
- ✓ Removable 30.4 fl oz (900 mL) capacity reservoir
- ✓ Front window to monitor fill level
- ✓ Durable ABS plastic for quiet operation
- ✓ Battery operated with 4 x C batteries
- ✓ Optional direct DC input
- ✓ Commercial grade components
- ✓ Infrared sensor eye

FLOOR-STANDING UNIT SPECIFICATIONS	VALUE
Depth (in)	10.6
Width (in)	15.7
Height (in)	59.1



900 mL Soap/Sanitizer Dispenser w/ Floor Stand





1000 mL Soap/Sanitizer Dispenser

- ✓ Easy push-button operation
- ✓ Large, removable 33.8 fl oz (1000 mL) capacity reservoir
- ✓ Front window to monitor fill level
- ✓ Dispenses soap, liquid and gel sanitizers
- ✓ Wall mountable
- ✓ Modular design - compatible with floor stand stand (sold separately)
- ✓ Optional drip tray
- ✓ No batteries required
- ✓ Lockable design

WALL MOUNT SPECIFICATIONS	VALUE
Length (in)	4.7
Width (in)	3.9
Height (in)	8.8
Capacity (mL)	1000



1000 mL Soap/Sanitizer Dispenser



Fill Window



Push-Button Operation

Reservoir Fill



Refillable Reservoir





Ultraviolet Wand

- ✓ Uses UV-C light to kill germs and viruses
- ✓ Same technology trusted to sterilize hospital equipment
- ✓ Universal sterilizer for travel or home
- ✓ Safe for adult and children use
- ✓ Folds up conveniently for travel and storage
- ✓ Disinfects hard to reach places
- ✓ Effective range of 2" to 4" from target
- ✓ Takes just 10 seconds to disinfect surface
- ✓ Boasts 8000 hour lamp lifetime
- ✓ Non-toxic

WAND	VALUE
Power Source	4 x AAA or Direct Micro USB
Product Weight (oz)	2.3
Lamp Power (Watt)	3
Width (in)	.14
Depth (in)	.1
Height (in)	.5
Included	Wand, Cable, Manual



Ultraviolet Wand





Infrared Digital Forehead Thermometer

- ✓ FDA certified
- ✓ CE certified
- ✓ 510(k) cleared
- ✓ Smart tri-color backlight indicator identifying normal, low fever and high fever temperatures
- ✓ Fast and accurate one-second temperature measurement, accurate to +/- .3 °F
- ✓ Completely contactless with measuring distance of 1-2"
- ✓ Captures temperature measurements between 41-176° F
- ✓ Built-in fever alarm
- ✓ Records last 32 measurements
- ✓ Body and object temperature measurement modes

SPECIFICATIONS	VALUE
Measurement Increments (° F)	.01
Power	2 x AAA batteries
Body Mode Range (° F)	89.6 - 109.2
Body Mode Accuracy (° F)	+/- .4
Object Mode Range (° F)	32 - 212
Object Mode Accuracy (° F)	+/- 3.6
Measuring Distance Range (in)	1 - 2
Measuring Distance Range (s)	less than 2
Automatic Shutdown (s)	less than 18
PACKING INFORMATION	VALUE
Product Length (in)	1.6
Product Width (in)	3.3
Product Height (in)	5.4
Product Weight (oz)	3
Box Length (in)	1.9
Box Width (in)	3.7
Box Height (in)	6.7



Infrared Digital Forehead Thermometer





Infrared Wall-Mounted Digital Thermometer


- ✓ Non-contact, wall-mounted digital thermometer
- ✓ Measures temperature from either palm or forehead
- ✓ Fast and accurate .5 second temperature measurement accurate to +/- .3 °F
- ✓ High temperature alarm alerts you when fever (>100 °F) is detected
- ✓ Versatile integrated wall mounting bracket
- ✓ Battery operated with 3 x AAA batterie
- ✓ Also operable with direct USB plugin (cord included)
- ✓ Automated voice prompts user when measurement is complete
- ✓ Unit automatically goes into standyb mode when idllings for more than 10s

SPECIFICATIONS	VALUE
Product Length (in)	3.2
Product Width (in)	4.3
Product Height (in)	1
Packaging Length (in)	4.5
Packaging Width (in)	5.7
Packaging Height (in)	2.8

FEATURES	VALUE
Measuring Range (°F)	89.6 - 114.6
Measuring Distance (in)	3.1 - 5.9
Temperature Unit	Celcius or Fahrenheit
Power Supply	Type C 5V/1A
Working Environment Temperature (°F)	50 - 95
Temperature Storage Memory	20 sets of data



Infrared Wall-Mounted Digital Thermometer





Cordless UV Nano Sanitizing Spray Gun

- ✓ Lightweight, handheld nano spray gun sanitizer
- ✓ Compatible with liquid disinfectant for household sanitization
- ✓ Features 28 fl oz (3.5 Cup) screw-in fluid bottle for easy fill
- ✓ Produces quick-drying mist for instant purification of air and surfaces
- ✓ Outfitted with set of 8 UV lights for additional efficacy
- ✓ Helps prevent infection from common household viruses and bacteria
- ✓ Effective range up to 6.5 ft
- ✓ Adjusting knob allows the user to select spray intensity
- ✓ Rechargeable, cordless operation for added versatility
- ✓ Quickly recharges in 2 hours for up to 3 hours of constant use

SPECIFICATIONS	VALUE
Length (in)	3.4
Width (in)	1.9
Height (in)	3.3
Capacity (fl oz)	8.8
FEATURES	VALUE
Effective Range (ft)	less than 6.5
Power Supply (W)	1200
Adjustable Knob	Yes
Solution Types	Liquid/Water-Soluble



Cordless UV Nano Sanitizing Spray Gun





Personal Protection Package

✓ Standard package includes:

ITEM	QUANTITY
Individually-Wrapped Adult Mask	1
2 oz Hand Sanitizer (60 mL)	1
Vinyl Patient Examination Gloves	2



Personal Protection Package





Pyramid-Style Outdoor Heater

- ✓ Free-standing, pyramid-shaped heater for outdoor use
- ✓ Included wheels allow for added mobility and flexibility
- ✓ Maximum heat output equal to 13 kW
- ✓ Powered by either propane or butane gas
- ✓ Unit stands 89 inches tall with a 20.5 inch square base
- ✓ Ideal for restaurant and patio use
- ✓ Turns on via electronic pulse ignition
- ✓ Built-in anti-tilt switch and automatic shut-off device for additional safety

SPECIFICATIONS	VALUE
Total Heater Height (in)	89
Reflector Length (in)	18.3
Reflector Width (in)	18.3
Reflector Height (in)	1.9
Lower Support Height (in)	34.6
Upper Support Height (in)	52
Glass Tube Height (in)	49.4
Base Length (in)	20.5
Base Width (in)	20.5



Pyramid-Style Outdoor Heater





Cylinder-Style Outdoor Heater

- ✓ Wall-mounted heater for outdoor use
- ✓ IP55-rated weatherproofing makes heater ideal for all conditions
- ✓ AC-powered heater offers safe, non-flammable operation
- ✓ Adjustable timer allows user to schedule temperature control
- ✓ Included remote control allows user to adjust heat to desired level
- ✓ LCD display shows timer and heat level for simple operation
- ✓ Super quiet operation (less than 38 dB)
- ✓ Carbon fiber bulb technology - more efficient, energy-saving, and environmentally friendly

SPECIFICATIONS	VALUE
Heater Height (in)	34.6
Heater Width (in)	5.1
Heater Length (in)	3.5
Heater Weight (lb)	6.2



Cylinder-Style Outdoor Heater





maskoneveryface.com

Revised 10/6/2020